

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6522671".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:16
L2	3	("6522671").URPN.	USPAT	OR	ON	2006/12/13 07:03
L3	0	("6636531").URPN.	USPAT	OR	ON	2006/12/13 07:07
L4	4	("5267236" "5671226" "6522671" "6546051").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/13 07:08
L5	4	("5640392" "5805568" "6058109" "6252850").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/13 07:12
L6	0	(traffic near3 (card or board or pcb))same (ingress near2 FIFO) same deframer same (aligner or controller or synchronizer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:26
L7	0	(traffic near3 (card or board or pcb))same (ingress near2 FIFO) same deframer and (((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))same (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:43
L8	0	(traffic near3 (card or board or pcb))same (ingress near2 FIFO) same deframer and (((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:22
L9	0	(traffic near3 (card or board or pcb))and (ingress near2 FIFO) and deframer and (((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))same (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:42

EAST Search History

L10	495	((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))same (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:21
L11	257	((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))with (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:32
L12	25	l11 and ((primary or secondary or second or other or ingress or egress)near3 (FIFO or register\$1 or storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:24
L13	0	l10 and (traffic near3 (card or board or pcb))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:42
L14	10	l10 and ((switch\$4 or traffic) near3 (card or board or pcb))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:46
L15	0	((switch\$4 or traffic) near3 (card or board or pcb))same (ingress near2 FIFO) same deframer and (((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))same (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:43
L16	16	l10 and ((switch\$4 or traffic) near3 (fabric or card or board or pcb))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 07:58

EAST Search History

L17	5	(synchroniz\$5 or align\$4 or maintain\$3 or adjust\$4)near5 (((full or fill) near2 (level or state or status)) or occupancy or fullness)with (primary same secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:17
L18	184	((cross\$connect or switch\$4 or traffic)near2 (network or fabric or card or board or pcb)) with ((primary or secondary)adj4 (card or board or pcb))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:20
L19	0	l18 and (((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))same (occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:21
L20	2	l18 and ((occupancy or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:30
L21	59	l18 and ((primary or secondary or second or other or ingress or egress)near3 (FIFO or register\$1 or storage or memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:24
L22	28	l21 and ((primary or first)near3 (clock or frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:25
L23	0	l18 and ((buffer or register)near5 (occupancy or fullness or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:31

EAST Search History

L24	1	l18 and ((buffer or register or memory or storage)near5 (occupancy or fullness or (fill adj2 (level or state or status))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:32
L25	78	((buffer or register or memory or storage)near5 (occupancy or fullness or (fill adj2 (level or state or status))))with synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:32
L26	13	l25 same ((clock or frequency)near3 (control\$4 or adjust\$3 or chang\$4 or alter\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 08:33
L27	19	("5365552").URPN.	USPAT	OR	ON	2006/12/13 08:43
L28	39	("5565924").URPN.	USPAT	OR	ON	2006/12/13 08:55
L29	11	("5517521").URPN.	USPAT	OR	ON	2006/12/13 11:07
L30	93	(((((buffer or fifo or memory)adj3 (space or fullness or capacity or occupancy))near5 (manag\$4 or control\$4 or maintain\$4 or adjust\$4 or synchroniz\$5))with ((write or clock or WR\$clk or frequency)adj2 (rate or speed or signal or clock)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:16
L31	93	(((((buffer or fifo or memory)adj3 (space or fullness or capacity or occupancy))near5 (manag\$4 or control\$4 or maintain\$4 or adjust\$4 or synchroniz\$5))with ((write or clock or WR\$clk or frequency or primary)adj2 (rate or speed or signal or clock)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 13:49
L32	258	du.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 13:50

EAST Search History

L33	218	I32 and thuan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:37
L34	0	(thuan adj du).xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 13:51
L35	19	((adjust\$4 or chang\$4 or switch\$4 or calibrat\$4 or alter\$5)near4 clock)with ((adjust\$3 or manag\$4 or relative or maintain\$4)near3 (occupanc\$3 or space or fullness or (fill adj2 (state or status))))with (buffer or fifo or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:13
L36	1	((adjust\$4 or chang\$4 or switch\$4 or calibrat\$4 or alter\$5)near4 clock)with ((adjust\$3 or manag\$4 or relative or maintain\$4)near3 (occupanc\$3 or space or fullness or (fill adj2 (state or status))))with (buffer or fifo or storage or memory)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:05
L37	1	((adjust\$4 or chang\$4 or switch\$4 or calibrat\$4 or alter\$5)near4 clock)adj3 ((adjust\$3 or manag\$4 or relative or maintain\$4)adj3 (occupanc\$3 or space or fullness or (fill adj2 (state or status))))with (buffer or fifo or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:14
L38	0	((adjust\$4 or chang\$4 or switch\$4 or calibrat\$4 or alter\$5)near4 clock)adj3 ((adjust\$3 or manag\$4)adj3 (occupanc\$3 or space or fullness or (fill adj2 (state or status))))with (buffer or fifo or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:13

EAST Search History

S1	416	(avoid\$4 near6 ((fullness or occupanc\$3 or overflow)near3 (FIFO or memory or storage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:24
S2	25	S1 same ((adjust\$4 or chang\$4 or alter\$5 or switch\$4 or control\$4)near4 (clock or frequenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:23
S3	211	((adjust\$4 or chang\$4 or alter\$5 or switch\$4 or control\$4)near4 (clock or frequenc\$3))with occupancy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:56
S4	0	S3 and ((primary near3 source)with (primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:58
S5	0	S3 and ((primary near3 source)same (primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:16
S6	1	S1 and ((primary near3 source)same (primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:26
S7	1	((primary near3 source)same (primary near2 (storage or memory or FIFO)))same (primary near2 clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:16
S8	19	("5777987").URPN.	USPAT	OR	ON	2006/12/11 16:20

EAST Search History

S9	54448	((adjust\$4 or chang\$4 or alter\$5 or switch\$4 or control\$4 or shift\$4 or correct\$4 or updat\$4)near4 (clock or frequenc\$3))with (memory or storage or fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:45
S10	95	S9 with (((fullness or occupanc\$3 or overflow or underflow)near3 (FIFO or memory or storage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:26
S11	0	S10 and ((primary near3 source)same (primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:26
S12	0	S10 and ((primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:26
S13	783	S9 and ((primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:46
S14	37	S13 and (((fullness or occupanc\$3 or overflow or underflow)near3 (FIFO or memory or storage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:30
S15	95	((adjust\$4 or chang\$4 or alter\$5 or switch\$4 or control\$4 or shift\$4 or correct\$4 or updat\$4)near4 (clock or frequenc\$3))with(((fullness or occupanc\$3 or overflow or underflow)near3 (FIFO or memory or storage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:10

EAST Search History

S16	0	S15 and ((secondary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:46
S17	0	S15 and ((primary near2 (storage or memory or FIFO)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 16:46
S18	2	"5434892".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:12
S19	19	("6,982,993" "5,434,892" "6,647,502" "6,272,552" "6,456,702" "6,275,896" "6,581,164" "5,331,639" "6,751,238").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:19
S20	37	("6,982,993" "5,434,892" "6,647,502" "6,272,552" "6,456,702" "6,275,896" "6,581,164" "5,331,639" "6,751,238").uref.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:35
S21	0	((two or more or multiple)near3 (ingress near2 (FIFO or storage or memory or register\$1)))same ((synchroniz\$5 or align\$5)with (occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:44
S22	0	((two or more or multiple)near3 (ingress near2 (FIFO or storage or memory or register\$1)))same ((synchroniz\$5 or align\$5 or adjust\$4 or control\$4 or manag\$5)with (occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:45

EAST Search History

S23	1	((ingress near2 (FIFO or storage or memory or register\$1)))same ((synchroniz\$5 or align\$5 or adjust\$4 or control\$4 or manag\$5)with (occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:48
S24	0	((secondary or primary)near5(ingress near2 (FIFO or storage or memory or register\$1)))same ((synchroniz\$5 or align\$5 or adjust\$4 or control\$4 or manag\$5)with (occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:46
S25	40	((ingress near2 (FIFO or storage or memory or register\$1)))and ((synchroniz\$5 or align\$5 or adjust\$4 or control\$4 or manag\$5)with (occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 08:07
S26	2	((ingress near2 (FIFO or storage or memory or register\$1)))same ((synchroniz\$5 or align\$5 or adjust\$4 or control\$4 or manag\$5)with (underflow or overflow Or occupanc\$3 or fullness or empt\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 07:49
S27	3	S25 and ((clock or phase or frequency)near4 adjust\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 08:09
S28	8	S25 and ((clock or phase or frequency)near4 (calibrat\$4 or synchroniz\$5 or adjust\$4 or align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 08:10
S29	10	("6031843").URPN.	USPAT	OR	ON	2006/12/12 08:16
S30	8	("6185635").URPN.	USPAT	OR	ON	2006/12/12 08:32

EAST Search History

S31	31	("20010033580" "20020018468" "20030133475" "3777268" "4667324" "4736363" "5159595" "5268936" "5400369" "5511077" "5519700" "5533018" "5550820" "5606370" "5608733" "5621773" "5805571" "5825770" "5963564" "6038226" "6075788" "6185635" "6198751" "6205142" "6237029" "6272144" "6285673" "6320877" "6385209" "6463111" "6988238").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 08:36
S32	0	"2002446664".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 08:36
S33	0	"200244664".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 08:36
S34	1	"200244664".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/12/12 08:50
S35	1	"200244664"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/12/12 08:42
S36	1727134	BR "200115744" A .pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 08:51
S37	3	"200115744".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 08:56
S38	0	"200115744"	FPRS; EPO	OR	ON	2006/12/12 08:52
S39	0	"15744"	FPRS; EPO	OR	ON	2006/12/12 08:52
S40	0	"15744".pn.	FPRS; EPO	OR	ON	2006/12/12 08:52
S41	0	"200115744"	FPRS; EPO	OR	ON	2006/12/12 08:55
S42	0	"200115744"	EPO	OR	ON	2006/12/12 08:55
S43	0	"200115744"	EPO	OR	ON	2006/12/12 08:55

EAST Search History

S44	7	"1337811".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 08:57
S45	3	"200115744"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 09:01
S46	244	"15744"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 08:58
S47	3	"15744"	EPO; DERWENT	OR	ON	2006/12/12 08:58
S48	0	"GB200115744"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 09:01
S49	0	"GB 200115744"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 09:03
S50	3	"200115744".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	ON	2006/12/12 09:14
S51	11	((cross\$connect or traffic) near2 card)and ((primary or first) near2 ingress)and ((second\$4 or other) near2 ingress)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:44
S52	0	S51 and (phase near3 (adjust\$4 or align\$4 or control\$4 or mang\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:19

EAST Search History

S53	0	S51 and ((pll or phase) near3 (adjust\$4 or align\$4 or control\$4 or mang\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:19
S54	0	S51 and ((pll or phase) with (adjust\$4 or align\$4 or control\$4 or manag\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:20
S55	1575	(adjust\$4 or control\$4 or alter\$5 or manag\$4)with ((occupancy or fullness)near2 (buffer or memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:41
S56	26	S55 with ((clock or frequency or phase)near3 adjust\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:42
S57	28	S55 with ((clock or frequency or phase)near3 (chang\$4 or alter\$5 or adjust\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 11:23
S58	12	("5255291" "5544324" "5566169" "5805597" "6215789" "6574242" "6577631").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 11:23
S59	7	("5255291" "5544324" "5566169" "5805597" "6215789" "6574242" "6577631").PN.	USPAT	OR	ON	2006/12/12 13:41

EAST Search History

S60	26	("3726279" "3730186" "4469101" "4546499" "4601718" "5197976" "5443497" "5453084" "5562726" "5588436" "5632753" "5797879" "5807258" "5824064" "5922022" "5967989" "5968053" "5984955" "5984956" "5989192" "5993481" "6068654" "6165185" "6241761" "6241764" "6251116").PN.	USPAT	OR	ON	2006/12/12 13:42
S61	19	("4231071" "4814726" "5003562" "5327430" "5329559" "5361274" "5473665" "5661778" "5774292" "5943490" "5960191" "6044124" "6236278" "6377912" "6694464" "6732068" "6741109" "6763424" "6876242").PN.	USPAT	OR	ON	2006/12/12 13:48
S62	3	("5473385" "5652627" "6233226").PN.	USPAT	OR	ON	2006/12/12 13:48
S63	0	("2004/0228411").URPN.	USPAT	OR	ON	2006/12/12 14:44
S64	105083	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:44
S65	14	S64 and (((cross\$connect or traffic) near2 card)and ((primary or first) near2 ingress)and ((second\$4 or other) near2 (egress or ingress)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:23
S66	400	synchroniz\$5 with ((buffer or fifo)near3 (full\$4 or fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:35
S67	9	S66 same ((secondary or second or other or egress)near3 (FIFO or memory or storage or register\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:28

EAST Search History

S68	7	synchroniz\$5 with ((buffer or fifo)near3 (full\$4 or occupancy))with (clock near3 (adjust\$4 or shift\$4 or control\$4 or chang\$4 or alter\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:00
S69	7	((align\$4 or synchroniz\$5 or relative) with ((buffer or fifo)near3 (full\$4 or occupancy)))with (clock near3 (adjust\$4 or shift\$4 or control\$4 or chang\$4 or alter\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:01